

In the late 1950s rocket powered aircraft were poised to pierce the veil of outer space. Both the Soviet Union and the United States had lofted man-made satellites into orbit for purposes ranging from scientific inquiry and weather forecasting to communications and military reconnaissance. Russia and America also established programs for humans to ride the missiles and eventually pilot them. Beginning in 1959 the National Aeronautics and Space Administration (NASA) conducted flights that put Americans into space. Project Mercury established that a pilot could orbit the Earth. Project Gemini developed advanced capabilities for long duration flight, docking, and walking in space. Lastly, Project Apollo extended our reach with the exploration of the Moon.

The exhibit traces our nation's path through three periods of manned space exploration. Project Mercury(1959-1963) mixed monkeys, robots and America's first space pilots in a Space Race with the Soviets. Project Gemini (1962-1966) saw the introduction of computers in orbit, fuel cells to generate electricity, docking two spacecraft and walking in space. The exhibit concludes with the triumphant Project Apollo (1960-1975) that fulfilled President Kennedy's goal of "landing a man on the moon and returning him safely to the earth."



Postmarked on the Prime Recovery Ship (PRS) for Scott Carpenter's Aurora 7 flight.

In keeping with the Federation Internationale de Philatelie (FIP) regulations for Astrophilately, the cancels in this exhibit conform to the principle that the story of the conquest of space is best told with envelopes postmarked on the date and closest to the entity controlling the event.



Project Mercury

"Tossing a man up in the air and letting him come back... is about the same technical value as the circus stunt of shooting a young lady from a cannon..."

Hugh Dryden, NACA 1958

The 1950s was a golden age of aviation in America. Test pilots at Edwards and elsewhere were constantly expanding the limits of aeronautical science, licking the outside of the envelope, in astrophilatelic parlance. The speed of sound, conquered just a few years before, was now routinely exceeded by production line Air Force fighters. Modified F-104 Starfighters were flying zoom profiles that brought them to the highest reaches of the usable atmosphere. And then came the X-15. An aircraft with the performance characteristics of a V-2 missile, it flirted with outer space at a time when space travel was relegated to science fiction.

In 1957 James McDonnell of McDonnell Aircraft gave a commencement address to an engineering school in which he predicted that the first manned Earth satellite would take place between 1990 and 2005. After the Soviets successfully launched an orbiting satellite a few months later it became clear to both the Eisenhower Administration and the Department of Defense that America would put an American into orbit. In less than 2 years McDonnell would sign a contract worth \$18.3 million to serve as prime contractor for the Mercury spacecraft.

NASA Project A, announcement no. 1, dated December 22, 1958, sought GS-12 to GS-15 pilots for the position of "Research Astronaut-Candidate". Project Mercury had been announced the previous week. Successful applicants would be college prepared military test pilots with at least 1500 hours of flying time and be qualified in jets. The Pentagon was able to identify more than 100 men who met the criteria.

In the end seven men were selected. Shepard would fly first, be grounded for years, and then return to golf on the moon. Grissom would almost drown, command the first manned Gemini mission, and then




die while preparing the first Apollo capsule. Glenn would circle the globe, become a Senator and run for President, and then ride the Space Shuttle as the oldest human to orbit at 77.

Carpenter would have 4 hours in space, leaving as the only American to fly into space only alone. Schirra would command Mercury, Gemini, and Apollo spacecraft before hanging up his helmet. Cooper would be the last American to venture into space alone. He returned to fly in the follow on program – Project Gemini. Slayton would be grounded before he had a chance to fly. As fate would have it, 13 years later, he got his chance on the final flight of the Apollo program. Ironically, the space race that had been a competition with the Soviet Union ended on his mission with the first joint Soviet/US flight.

When Yuri Gagarin flew in 1961 the flight controls were locked. A code from Mission Control was required if he was needed to pilot the capsule. Similarly, the early Mercury flights could have been successfully flown by autopilot. Robot and astrochimps proved that. By the end of the program, however, not having an astronaut pilot in the loop made mission success impossible. The need for an ape had evolved into the need for a man.

"Man is the deciding element...As long as Man is able to alter the decision of the machine, we will have a spacecraft that can perform under any known conditions."

Chris Kraft, NASA 1963




BJ-1 Port Canaveral Hand Cancel 09 Sept 1959

Little Joe -1 (LJ-1) was a failed attempt launched from Wallops Island on 21 Aug 1959. This was followed on 9 Sept 1959, by a boiler plate Atlas test carrying a letter addressed to Robert Gilruth:


This note comes to you after being transported into space during the successful flight of the "Big Joe" capsule, the first full-scale flight operation associated with Project Mercury.



Wallops Island Hand Cancel




Capsule aerodynamics (LJ-6) and abort at max Q (LJ-1A) is followed by launch of "Sam". The name Sam comes from the acronym School of Aerospace Medicine.




Many of the early "classics" were forged by Charles Riser. While some are notoriously difficult to spot virtually all use embossed stamps. All addressed to H. Flick are believed to be fakes.






Very dangerous possible forgery sold by Riser using only adhesive postage and photo cachet.




"Miss Sam" used an escape rocket to simulate booster failure. Capsule returned by helicopter to Wallops Station.




The carefully weighed and balanced capsule pointed its pylon towards the sea. The ignition switch closed and the escape rocket jerked the capsule from the ground on its short flight, lasting one minute and 16 seconds, covering half a mile in an arc 2465 feet high.



Following a Beach Abort (**BA**) success at Wallops Island the Atlas' liquid oxygen boil off valve ailed due to vibration induced fatigue. This caused an explosion that destroyed both the booster and Mercury capsule. Ironically, Project Apollo is announced on this day.



On Election Day, the first production capsule was sent aloft to evaluate flight qualification of abort conditions at maximum dynamic pressure.




Escape rocket, tower jettison rocket, and booster all fired at the same time keeping the vehicle mated until impact shattered them into fragments. Only 40 percent of the capsule was found.




Three weeks later a new embarrassment. Mercury Redstone-1 (MR-1) flew four inches before the engine shut down. After altering the booster tail plug MR-1A produced an unqualified success.




George Goldey created highly collectable cachets for early American flights into space. A messy Hand Cancel (HC) was fairly typical during this period. A stamp to commemorate the successful launch (on the second try) of the Echo I passive communication satellite a few months earlier is shown.



Supplied by Holloman Aerospace Medical Center "Ham" experienced 17g, loss of cabin pressure, and took on 800 lbs of sea water following splashdown.



Except for a redesign of the landing bag impact attenuation system, the Mercury capsule appeared ready to carry the first American astronaut into space. Strengthened with an eight-inch "belly band" to support the last of the thin skin Atlas boosters, the rocket had a magnificent flight, "nominal in nearly every respect."




Again the escape rocket fired early causing the capsule to tumble on separation, narrowly missing the booster as it decelerated. The retropack and escape tower were inadvertently jettisoned or torn off.



Telemetry revealed that the Redstone still vibrated a bit but all the "quick-fixes" had worked. Redstone was now trustworthy enough to be called "man-rated."




A Presidential panel was rumored to recommend at least 50 more chimpanzee runs before lofting a man. Gilruth remarked facetiously that if this were true, the Mercury program ought to move to Africa. The report was released April 12, 1961, on the same day the Soviets put Gagarin in orbit.



Upgraded from suborbital to an orbital mission just days before the flight, the "crewman simulator" experienced a successful abort when a failure to roll and pitch towards the horizon required the Range Safety Officer to destroy the booster only 40 seconds into the flight.






Despite the failure of one of the Castor rocket motors to ignite for the first five seconds the mission was judged a success. Changes in circuitry resolved the premature ignition of the escape rocket motor.

LI-5B Wallop:	s Island Machine Cancel	28 Apr 1961
Rocket Fired	OPS TO	U.S.A.
WALLOPS ISLAND	VIA	
APR 28 1961 0 04 AM		he Space Age "
ATLANTIC		
OCEAN		88 MERCER ST. WALLINGTON NEW JERSEY

With the exception of the Atlas booster and the spacecraft's orbital capacities, all Mercury systems were qualified. It was time for the first American in space!



Life magazine referred to Shepard, Glenn and Grissom as the Gold Team. On 22 Feb 1961 they were identified by the Space Task Group (STG) as the first to fly.



Take off was at 09:34 and splashdown occurred at 09:50. By the time this envelope was postmarked the 15 minute suborbital ride, including a mere five minutes of weightlessness, was over.

```
Project Mercury
```



USS Lake Champlain Type I Hand Cancel

5 May 1961

Rare crew mail from the Prime Recovery Ship (PRS). The address has been erased.



MR-3 Type II

Within three weeks President Kennedy would say, "Now is the time to take longer strides and land a man on the moon." Of the Mercury astronauts only Shepard would take that step.



Recalling Shepard's four-hour hold before his 15 minute flight, Grissom had a urine reservoir installed the day before his mission. Other changes included a trapezoidal window and a hatch with explosive bolts.




Packed in the Mercury capsule awaiting launch Grissom experienced a wide range of feelings. His heart rate ranged from 64 to 162 beats per minute. At the debrief he admitted he was "a bit scared."




Master forger Charles Riser was convicted of fraud for creating rare postmarks including this one. The reverse of this envelope bears a secret mark applied by Postal Investigators. The signatures are probably faked as well.



Following splashdown the hatch "just blew" resulting in loss of the capsule. Bobbing under the waves, Grissom was scared and angry. He was floating or swimming only four or five minutes "although it seemed like an eternity to me."




The Mercury-Atlas flight record had produced only one completely successful launch out of four tries: the MA-2 reentry heating test. "MA-4 just had to work."



In an effort to evaluate the capsule as well the booster's ability to orbit the craft and new recovery aids to assist the US Navy, a "mechanical astronaut" was installed to test noise, humidity, and radiation levels. Cameras returned over 30,000 images from panel instrumentation, an Earth-sky camera, and a third affixed to the periscope during the flight that lasted about 90 minutes. **Project Mercury**




All Patrick Air Force Base covers from Sept 1959 to Sept 1961 with Die III were backdated. These are characterized by a year date that extends below an imaginary line transecting the "P" in Patrick and the "e" in Base. Die III postmarks have legible "FLA." while Die II do not.




75 Crew envelopes were postmarked for Lt. Felt. Two hurricanes, "Carla" and "Debbie", thrashed the Mercury tracking areas with the latter giving the ships in the prime recovery zone a rough ride the day before. USS Decatur, 34 miles from the impact point, made the recovery.



Photograph of MS-1 during one of the 43 seconds before the rocket tore itself apart.



Fired from the Project Vanguard launch pad, Mercury-Scout was a four-stage, solid-propellant "poor man's rocket" used to test worldwide tracking. Crossed wiring necessitated destruction by Range Safety Officer after 43 seconds. Also the first official day of the new Manned Spacecraft Center in Houston, TX.



For three hours and two of the three planned orbits Enos (Greek for "Man") pulled levers and flew around the world. The tracking and recovery networks functioned well. Time to orbit a man.



Very early Mercury tracking station cover (six in existence) serviced by RCA "Range Rat".

MA-5

Grand Turk Hand Cancel

MA-5	USS Stormes SUSPECT Hand Cancel	29 Nov 1961
MERCURY ATLAS 5 S WITH CHIMP "ENOS" RECOVERED BY USS AFTER 2 ORBIT FL FROM CAPE CANAVES Might Scottbarp	STORMES	

Genuine postmarks from the USS Stormes are exceedingly rare. Here Riser has faked both the cancel and autographs of three Mercury astronauts. It is estimated that upwards of a thousand dangerous forgeries continue to plague collectors.




Glenn studied systems until the last possible minute before the flight. Shortly before bed on 19 Feb he reread the flight controller's handbook on the automatic stabilization and control system.




Cape Canaveral Machine Cancel


20 Feb 1962



Mr. Clean Marine was a favorite with President Kennedy. After leaving the astronaut corp in 1964 Glenn won a Senate seat in Congress from his home state of Ohio. He also had an unsuccessful bid for President in 1980.




The Post Office Department waited to hear that the astronaut pilot was safe before unveiling the newest postage stamp. Operation HUSH HUSH was a success as the Project Mercury stamp was simultaneously released in 305 cities following America's first manned orbital flight.



Since Project Mercury stamps were not available to the USS Noa until it returned to port on February 23rd all postmarks for the ship with the recovery date are presumed backdated.

MA-6 USS Randolph Hand Cancel 20 Feb 1962 U.S.S. RANDOLPH 20 CVS-15 P.M. NEW MORNED EI FLAGSHIP THE SHOULD BE STOLEN ASW GROUP ALFA HE & Barnes. 44 West 175st New-York 5.3 Commanding Officer USS RANDOLPH (CVS-15 SPACE CAPSULE RECOVERY SHIP


After the excitement of a questionable heat shield Glenn landed 40 miles short of the Prime Recovery Ship (PRS), shown here with a Captain's cover created for VIPs and the crew.



Only six miles away was a destroyer code-named Steelhead. Previously believed to be genuine (since it had any stamp other than the Project Mercury issue). Perhaps the clerk simply ran out of Mercury stamps. No Project Mercury stamps were on board USS Noa. It made the recovery and backdated 300 covers on return to port.



The pilot formally requested CAPCOM tell General David Shoup, Commandant of the Marine Corps, that three orbits should suffice for his minimal monthly requirement of four hours flight time.



In March NASA announced that Deke Slayton had an irregular heart beat and would not fly. Since Carpenter worked closely as Glenn's back up he got the nod over Slayton's back up, Wally Schirra. A 30-inch Mylar balloon on a 100 foot nylon tether was planned to examine reflective properties of sections colored yellow, orange, white, uncolored aluminum, and phosphorescent (white by day, blue by night).



Captain's cover from the designated PRS with vintage autograph of the astronaut (and Navy Commander).

Project Mercury



The pilot was rescued after three hours at sea. It would take 6 1/2 hours before spacecraft recovery equipment enabled USS John R. Pierce could reach the capsule.



Of all the Original Mercury 7 astronauts only Wally Schirra would fly in Mercury, Gemini, and Apollo spacecraft.



Glenn's flight had been exploratory and Carpenter's scientific. Wally Schirra's was an engineering flight with precise test pilot maneuvers with a goal to conserve fuel and electrical power.



Tracking ships often lack their own postal facilities and receive cancels from larger vessels or upon return to port. Here postmarked on the Prime Recovery Ship.



Overfranked envelope with ship rubber stamp and Commanding Officer's corner card.




THIRD

U. S. Orbital Space Flight

Atlantic Recovery Force

S.

MWB CACHET NO. 79




Since World War II Morris W. Beck created multicolored cachets for US Navy ships. Beginning with Carpenter's orbital flight Beck began producing space related artwork for recovery ships. Here three Secondary Recovery Ships (SRS) are shown for Schirra's mission. Beginning with Cooper's flight Beck covers exist for all Prime Recovery Ships (PRS).

O. K. Jewell 206 Oak St. Mt. Vernon, Ohio 3 Oct 1962

USS Charles S. Sperry

Hand Cancel




A well-known life insurance company subscribed to Cooper's faith by underwriting the first commercial astronaut policies, including one for Cooper. A commonly held belief that astronauts were uninsurable explains the Apollo Insurance envelopes.



Obviously philatelic envelope posted from East Africa. One of the great challenges (and great achievements) of Project Mercury was the worldwide voice and data network required for line of sight communication.




An early NASA tradition held that only other astronauts communicate with spacecraft in flight. Gus Grissom was assigned to man a radio at a tracking station in Sonora, Mexico during Cooper's mission.



Secondary Recovery Ship on station to recover America's last solo astronaut. Seen here is a rare Beck's CREW (no number) cachet. The cachet says "Date of Recovery" which actually occurred on the 16th.



This striking artwork, unfortunately, remains the artist's only space envelope design.



Dating back to Grissom's first flight in 1961 envelopes have occasionally been carried of recovery aircraft. While this became fairly common in the Skylab era they remain rare during Mercury.



Project Gemini

"I feel red, white and blue all over." Edward H. White II, June 1965



Project Gemini was an afterthought. In the late 50s the concept of a man riding a rocket to orbit slowly percolated in both military and civilian aerospace circles. A natural progression from mice to monkeys and on to man can inexorably be traced. These same groups dreamed of flying rings around the moon.

In May 1961, President Kennedy challenged the nation to land a man on the moon and return him safely to the earth. Alan Shepard had strapped on an Army Redstone missile for a 15 minute suborbital ride. He had traveled 302 miles while a trip to the moon would be a quarter of a million miles and take a week.

Moving from the theoretical to reliable hardware would require several important steps. The Russians were way ahead with heavy lift capability. We would need to ramp up booster development. We needed to move from a ballistic capsule to a piloted spacecraft, one that had precise navigation and control features. Another big problem to overcome was consumables – sufficient propellant, oxygen, water, and electricity to last for several days instead of a scant few minutes. This was an age for new materials, processes and ideas. Real time complex computing, advances in inertial navigation, fuel cells that generate electricity and water all made great leaps. As an alternative to a massive direct ascent moon rocket, NASA created the requirement to control two missions at the same time, conduct extravehicular activities (space walks), and rendezvous and dock in space.

Some technologies would prove premature for the breakneck speed of the Space Race. The Parasail concept of a runway landing using the hang glider designed by Ragallo was shelved in favor of the well-tested and reliable parachute. Ejection seats used at altitude spawned a proposal for a cross between a balloon and a parachute (a ballute). It too would be put aside.


In two productive years Project Gemini flew 10 increasingly demanding manned missions. By its conclusion in 1966, NASA had accomplished long duration flight, deftly handled emergencies on the ground (Gemini VI) and in flight (Gemini VIII), and charted a path for Project Apollo.









The NASA Motor Vessel (MV) Retriever was a Landing Craft Utility (LCU) built for the U.S. Army in 1953. LCU-15301 was acquired from the Army in 1963. After modifications (the sides of the vessel's midsection were cut down, a new bridge built, and a hoist added), it arrived at its Seabrook, Texas docking facility near the NASA Manned Spacecraft Center (MSC) in June 1963. The modified Army LCU, painted NASA blue and white, was named "Retriever" to signify its mission of recovering spacecraft. The LCU was selected because its shallow draft, which allowed it to operate in Galveston Bay as well as in the Gulf of Mexico off of Galveston, Texas.




As an open sea test facility, Retriever was used for Gemini and Apollo spacecraft drop tests from aircraft, uprighting tests, flotation collar tests, and qualification of shipboard recovery equipment. It was also used to train all flight crews for post splashdown ocean recovery operations and water egress training from their Gemini spacecraft and Apollo command modules until 1972. With the cancellation of plans to land the Gemini spacecraft using an inflatable wing and skids, the US Navy resumed training to rescue and recover at sea. Here conducted aboard the USS Escape and postmarked on return to port at Norfolk.



With cancellation of plans to land the Gemini spacecraft using an inflatable wing and skids, the US Navy resumed training to rescue and recover at sea. Here conducted aboard the USS Escape and postmarked on return to port at Norfolk.



Hard to find cancel on Goldcraft artwork. A boilerplate is an object of the same size, weight and center of gravity as the actual spacecraft but without any real components. This makes them perfect for training recovery forces. Here the art shows the older Mercury capsule.




The launch vehicle provided a bit too much speed and put the spacecraft into orbit with an apogee of 320 km instead of 299 km. Although it was equipped with a heat shield, the capsule had four large holes drilled into it to ensure it would be destroyed during reentry.




After dodging two hurricanes during the second half of 1964 the launch vehicle was scheduled to lift off 9 Dec. The countdown clock reached zero and the engines ignited. A loss of hydraulic pressure shut them down after one second. Finally, on 19 Jan it roared skyward.

```
Project Gemini
```




While color printed Morris Beck cachets were produced by subscription anyone could receive a rubber stamp version when sending mail on the recovery day. Here the "AM" postmark is shown. The label stain confirms it went through the mail stream and was not hand back service.



Traveling 3,422.4 km downrange on a flight lasting 18 minutes and 16 seconds, the capsule landed 26 km short of the planned impact point and 84 km from the carrier. This is a scarce (25 created) Beck CREW covers (no Beck number) made as a "thank you" to ship personnel.






Over Corpus Christi, Texas, at the end of the first revolution the astronauts fired engines to change the orbit from 161 km x 224 km to an orbit of 158 km x 169 km. The first such maneuver in history.




Strategically situated in the middle of the Pacific just below the Equator and south of Hawaii is Canton Island – call signal, CTN. It is a small coral atoll about halfway between Australia and Hawaii with co-dominion status under US and British commissioners.



Seldom seen Secondary Recovery Ship (SRS) addressed to Saudi Arabia. Despite using double the current Air Mail rate at the time the envelope was judged to have insufficient postage.




Morris Beck produced accurate and attractive cachets for naval recovery forces from Carpenter's Mercury flight through the Apollo-Soyuz mission in 1975. Here missing the yellow background.




Plan for this four-day, 62-orbit mission was to fly in formation with the spent Titan II second stage. After using up half the fuel thrusting forward only to move farther away, they gave up. The highlight was the first American spacewalk. Tied to a tether and using a handheld "zip gun," Ed White floated for 22 minutes. At its conclusion, White said, "It's the saddest moment of my life."

GT-IV Rodman Machine Cancel 17 Jun 1965 This cachet was stamped and CANAL ZONE POSTAGE countersigned on June 7,1965 ODN in Lat.21 South, Long.82 West JUN 17 upon completion of four days of orbiting by astronauts 1965 J.McDivitt and E.White. It was mailed upon arrival at the first port of call, after completion of the above. Executity Officer. USNS ROSE KNOI (T-ACM-14) PROJECT GEMINI IV


Often ships that participate in Navy Task Force operations in support of spaceflight missions don't have their own mail facilities. Fédération Internationale de Philatélie (FIP) states, "If not available on the ship, the postmark of the port of landing or of the nearest supply base after arrival of the ship is valid."




Another first was an international audience watching the launch live. It was broadcast on television to a dozen European nations using the Early Bird satellite. 1,100 journalists requested accreditation to cover the flight.



Once the rocket cleared the tower, control of the mission transferred from the Kennedy Space Center in Florida to Mission Control in Houston, Texas.




A rare Beck CREW cover postmarked on the Prime Recovery Ship. All told the Department of Defense (DoD) contributed 10,249 personnel, 134 aircraft and 26 ships.



A very scarce Hand Cancel on a Captain's cover. The artwork was prepared at the direction of the Commanding Officer to celebrate the honor of leading the rescue effort, and was available only to Distinguished Visitors and the crew.



Beginning with Gemini V, the newly minted Kennedy Space Center began providing KSC Official rubber stamp cachets for manned launches and continued through the end of Apollo. Forrest J "Dusty" Rhodes was Chief, Mail & Distribution Unit at the Kennedy Space Center.




While fuel cells made an eight-day mission possible they were also temperamental, nixing the planned rendezvous with a deployed pod and leaving the crew adrift and shivering for days. Conrad later lamented that he should have brought a book to read.



GT-V


Webster Machine Cancel



Beginning with the previous flight NASA ran three Flight Director shifts, Chris Kraft 1st (as Mission Director), Gene Kranz 2nd focusing on system performance, and John Hodge 3rd on mission planning. Hodge would replace Kraft after GT VIII so that the later could focus on upcoming lunar flights. Paul Haney was known as the "Voice of Gemini".



Grand Bahamas Island, located just 90 miles east of Florida, was a key component of the Eastern Test Range and Gemini network. Here "Range Rat" and astrophilatelist Joseph Frasketi commemorates a flight.




The crew was rescued by a helicopter from the USS Du Pont. Is the recovery ship the one that retrieves the spacecraft or the crew? Does it matter that the astronauts were flown to the USS Lake Champlain and not the vessel that the aircraft was assigned to?



Rare Beck Crew cover (25 produced) from the Prime recovery ship. W.R. Skelley coordinated many of the philatelic details for recovery ships. A large number of the "thank you" CREW covers are addressed to him.




The Earth's rotational rate is 360.98 degrees per day. The programmer rounded the value to 360 resulting in an undershoot of 130 km. The error would have been greater but Cooper recognized the mistake and slew the craft 90 degrees instead of 53 to minimize the problem.



A larger Hand Cancel (36 mm vs. 33 mm) appears with the Navy rubber stamp cachet. 10,265 personnel, 114 aircraft and 19 ship participated in the recovery efforts.




Although this was the maiden voyage in Project Gemini, Agena had flown on more than 140 missions since 1959. Here the KSC Official cachet is joined by Goldey artwork. Within minutes after the 10 o'clock launch, indications at Mission Control in Houston were that something was wrong with the booster. The Agena seemed to be wobbling, even as its attitude control system labored to keep it stable.



Very scarce Patrick AFB Roller Cancel. Officials responsible for the Eastern Test Range conducted a hasty study of partial telemetry data from the booster. No clear indication of the failure surfaced.

GT-VI F	Patrick Air Force Base Machine Cancel	25 Oct 1965
Egbent, D. Legler,	1 250 USNS ROSE R Caplon GEMINI 555 AGENA SYS. NH SYS + ASTRISIM COMMANDER COMMA	

Nice selection of tracking ship personnel autographs on a seldom seen "scrub" cover. The two line USNS Rose Knot tied to the stamp is not an official Post Office cancel. That would have to wait until the ship returned to port on November 8. Note the CapCom for this unmanned launch is not an astronaut.



Back at the Cape, Schirra and Stafford sat atop their Titan II missile. Borman and Lovell were at the KSC Launch Control Center listening to an audacious plan by John Yardley to launch GT-VII to meet up with GT-VI in space. "Why couldn't we launch a Gemini as a target instead of an Agena?"


Port Hueneme Machine Cancel

25 Oct 1965

GT-VI



Throughout the US manned space program control centered on ground based facilities and personnel. Onboard computers were nascent (or non-existent) and analysis and decision making so complex that thousands participated. To receive spacecraft data (downlink) and transmit instructions (uplink) a continuous worldwide network of transmitters and receivers were required. Since these were "line of sight" ships were required to supplement ground based tracking stations.



What appears to be a test impression (no stamp) on what would have been the Prime Recovery Ship. Artwork by Morris Beck is joined by a ship design on aircraft stationary.

GT-VI


```
Project Gemini
```




This KSC Official addressed the founder of the KSC Philatelic Society. This grueling flight was designed to test whether man and machine could fly for two weeks. A new, lightweight spacesuit proved critical as did taking books for pleasure to pass the time.



After five days, they had performed four orbital adjustment burns that put them in a circular 300 km orbit. This meant that GT-VII could stay aloft for at least 100 days without the orbit degrading, more than stable enough to serve as the passive rendezvous for GT-VI-A.



On 12 Dec Schirra and Stafford were loaded on Pad 19 and ready to fire. The countdown clock went to zero, the spacecraft clock started and the rocket roared to life. Just 1.2 seconds later the engines shut down. They felt no movement. Schirra said, "We're just sitting here breathing."



Following the braking and translation maneuver, VI-A coasted until the two vehicles were 40 meters apart, with no relative motion between them. They flew in formation for five hours, at times within 30 cm of each other. For the first time true rendezvous had been achieved.




Envelope addressed to Air Force MGEN Edward H. White. His son, Ed White II, had just become the first American to walk in space in June. Note the variation in artwork. Here it shows two capsules while in the next it shows the original GT–VI mission to dock with an Agena.



Machine cancel with inverted year. Goldey image of President Kennedy added to original Beck rubber stamp design.

GT-VI-A	USS Wasp Machine Cancel	16 Dec 1965
GF GF RECO Astronauts SC 16 Dec. 1965 2	Uni	


Landing 13 km from the planned impact point, GT-VI-A recorded the first successful controlled reentry, commemorated here with a Captain's cover addressed to the UN Secretary General.



A Captain's cover for GT-VII. On this day Robert Gilruth held a post-recovery press conference in which he declared "A fabulous year for manned space flight." Since March NASA had put 10 men in orbit, performed EVA, conducted eight- and 14-day flights and accomplished a rendezvous.




As the KSC Official artwork illustrates, the two objectives were to dock with the Agena and perform a two-hour spacewalk. This was to be the first orbital docking ever. Easing the last few feet at three inches per second, Neil Armstrong reported his progress through Rose Knot Victor to Mission Control. "Flight, we are docked! It's a real ... really a smoothie – no noticeable oscillations at all."




While docked with the Agena, GT-VIII began a gentle left roll. Armstrong cancelled it for four minutes until it became clear their propellant was down to 30 percent. After disconnecting from the Agena, the roll increased to a revolution per second. Thruster number 8 was stuck open.


GT-VIII



17 Mar 1966



Over China, GT-VIII slipped into the fringes of the atmosphere. "Do you see water out there?" Armstrong asked. Concern mounted since the capsule might not survive touchdown on land. "Oh, yes, there's water! It's water! LANDING-SAFE," exclaimed pilot David Scott.



Following the brief 11-hour flight that aborted the planned spacewalk, the crew ditched 800 km east of Okinawa in the Pacific instead of the planned Atlantic recovery. Here an uncommon Beck cachet from the destroyer that made the rescue.




Crew mail with uncommon Hand Cancel and enclosed letter. USS Boxer was the Designated Prime Recovery Ship (PRS) but a stuck thruster forced Neil Armstrong and David Scott to abort their mission and land in the Pacific Ocean instead. To add insult to injury, the ship returns to Norfolk both empty-handed and in foul weather.



Gemini-related

Cape Canaveral Hand Cancel




For two minutes everything was normal. Then one engine gimbaled and locked in a hardover pitchdown position. The whole combination – Atlas and Agena – flipped over in a nosedive and headed like a runaway torpedo back to the Cape before plunging into the Atlantic.




GT-IX was eager to meet up with their replacement Agena until they saw the unreleased shroud. "It looks like an angry alligator," Stafford remarked. Lanyards had mistakenly been taped, holding the shroud together after the explosive bolts fired. No docking could occur.



The Prime crew, See and Bassett, died when bad weather caused their jet to crash into the building constructing their spacecraft. The backup crew, Stafford and Cernan, would make the flight.




With no docking possible, Cernan performed his EVA to test the Astronaut Maneuvering Unit (AMU), a jet backpack stowed on the adapter module. His faceplate was fogged, his heart rate soared at 195 beats per minute, and doctors feared Cernan would pass out. With this the EVA ended.




Since the "Mark I" eyeball attempts to rendezvous attempted by Gemini IV tremendous strides had been made in orbital computational science. In the vicinity of Grand Turk, just six minutes into the flight, Stafford fired the spacecraft thrusters for phase adjustment. After 49 minutes a second burn to circularize the height was undertaken. A final burn corrected for out-of-plane errors.



Although the Agena was in a slight roll and retained the shroud which precluded docking Stafford and Cernan were able to make three rendezvous with the ATDA and station keep at distances down to a few centimeters.



Computer controlled reentry worked perfectly, resulting in splashdown just 700 meters from the planned landing site and close enough to see the Prime Recovery Ship.



With the carrier in view Stafford and Cernan opened both hatches and enjoyed the gentle rolling sea. Then they stuck out their thumbs to hitch a ride home. This Captain's cover artwork is found on various envelope sizes.


GT-X Kennedy Space Center Machine Cancel

18 Jul 1966


After docking with their Agena and using it to boost them to 763 km, Michael Collins made his way over to the dormant Agena left by the Gemini VIII crew. With no electricity on board, the second Agena the rendezvous was accomplished with eyes only – no radar.

John Young described the Agena ride: "We were thrown forward in our seats. Fire and sparks started coming out the back end of that rascal. The light was something fierce, and the acceleration was pretty good. I never saw anything like that before, sparks and fire and smoke and lights." C. C. Reddish LT08 Harbor Avenue Merritr Island, Fla.


Project Gemini




Grand Turk Island is in the Turks and Caicos Islands in the Caribbean. The name comes from a species of cactus, the Turk's Cap Cactus. Founded by Bermudan Salt Rakers three hundred years ago, the island was first settled by ancestors of the Tainos. Archaeological remains have been dated to the 8th century.



Joe Frasketi was an NASA contractor who single-handedly created the astrophilatelic field of tracking station cover collecting. His autograph is often seen on station envelopes where he worked. Frasketi remains an active space event cover dealer into the second decade of the 21st century.



John Young described the Agena ride: "We were thrown forward in our seats. Fire and sparks started coming out the back end of that rascal. The light was something fierce, and the acceleration was pretty good. I never saw anything like that before, sparks and fire and smoke and lights."




Beck Prime Recovery Ship envelope addressed to my father-in-law, William J. O'Donnell. He served NASA as HQ PAO from Schirra's MA-8 flight in 1962 to the return of STS-2 in 1981.


 H_{collar}^{α} GT-X U.S.S. Guadalcanal Hand Cancel 21 Jul 1966 Seden III 01-22 IO CLADALCANAL (LPH-7)

A Captain's cover generally has artwork specifically created to commemorate the honor of recovering astronauts from space. In this rather simple design, the outline of the aircraft carrier is framed by the spacecraft falling from orbit. This is then framed by a generic capsule shaped somewhere between a Mercury and Gemini spacecraft. This Captain's cover is rarely seen.

After two false starts the Atlas-Agena rocketed into space. In order to perform a first orbit docking, the launch windows would be very small. GT-X had 35 seconds and GT-XII had 30 seconds. In contrast, Gemini XI would have only 2 seconds. They made it with 1.5 seconds to spare.



Not only did the crew rendezvous in a single orbit but 56 percent of their fuel still remained. For the spacewalk Conrad pushed Gordon towards the Agena but missed. He pulled on the umbilical to drag him back and pushed again. EVA remained exhausting. Gordon lasted only 33 of the planned 107 minutes.



The postmaster at KSC created a limited number of cachets in alternate colors, perhaps as favors to friends or as a way of generating a little extra income. The blue, seen here with the uncommon Hand Cancel, is joined by a proof-like version in red.



Joe Frasketi orchestrated tracking station covers from as early as Project Mercury's monkey flights until after the first manned landing on the Moon. The circular rubber stamp is from a set sold by Morris Beck to dealers and collectors.




MOL	Cape Canaveral BACKDATED Hand Cancel	3 Nov 1966
• S • T		And FL


A large percentage of Orbit Covers have backdated postmarks. The cancel is characterized by a missing chunk from the "C" in "Cape" and a "Plugged 9" in the zip code.



For years the Air Force worked to create a military capability in space. Dyna-Soar morphed into the X-20 which died under Defense Secretary McNamara. In this Blue Gemini plan USAF astronauts would spend 30 days in the attached booster, conducting reconnaissance. Of 17 selected there were 14 at the time the program was cancelled. The half below the age of 35 were absorbed into NASA and all flew on the Space Shuttle.




Eager to supply the well-paying need for rare postmarks, Charles Riser produced highly accurate forgeries that included autographs. A hallmark is the embossed postage.




A Dock Landing Ship is a US Navy vessel used to carry and launch amphibious vehicles. The interior ferry-like structure can be flooded and permit landing craft to disembark while the LSD is underway. With a crane and onboard helicopter the USS Fort Snelling was a very appropriate capsule recovery ship. It was reported that about 50 envelopes were postmarked for the flight.




Radar communication was poor so Buzz Aldrin, who had a PhD in orbital mechanics from MIT, called the shots using a sextant and rendezvous charts. Docking went well, as did the EVA, but a another docking attempt was misaligned, resulting in a latch getting caught. Thrusters rocked them free.



Most unrealistic artist views envision spacious interiors of space capsules. With knees to their chests this excessively claustrophobic enclosure perhaps better captured how the astronaut pilots felt.




Beck CREW covers (no number) were intended to thank Navy crews for servicing space covers for collectors. The vast majority were postmarked shipboard. Here seen at the nearest land based postal facility.




Carnarvon – call signal, CRO – was situated in northwestern Australia. Operated by the Weapons Research Establishment (WRE) – Department of Supply, Commonwealth of Australia, it functioned as a primary network station.





During reentry a pouch containing books, filters, and small pieces of equipment broke free from the Velcro on the sidewall and landed in Lovell's lap. The pilots had unstowed the D-rings that activated the ejection seats and were holding them down between their legs. He squeezed his knees together and hoped the pouch would go no further. It did not.



This Captain's cover celebrates the successful end of Gemini. Landing only 5.5 km from the carrier, the astronauts were on deck aboard the USS Wasp 28 minutes after touchdown.

GT-XII

USS Wasp Hand Cancel

15 Nov 1966



Project Apollo

"We choose to go to the moon in this decade and do the other things, not because they are easy, but because they are hard, because that goal will serve to organize and measure the best of our energies and skills, because that challenge is one that we are willing to accept, one we are unwilling to postpone, and one which we intend to win."

President John F. Kennedy September 1962



The author was 10 years old when Neil Armstrong and Buzz Aldrin landed on the moon. I distinctly remember thinking that the rest of my life would be divided in two. Those things that happened before men walked on the moon and things that happened after.

Today, the accomplishment remains as unbelievable as it was before it happened. To leave the planet with two spacecrafts, travel a quarter of a million miles, rendezvous in lunar orbit, land and return home safely is remarkable. The historian Arthur Schlesinger declared, "The 20th Century will be remembered, when all else is forgotten, as the century when man burst his terrestrial bonds."

Apollo represented a departure. It was the first program that had astronauts riding launch vehicles designed for civilian exploration and not military might. Shepard and Grissom rode the Redstone, an Army intermediate range missile. Glenn and other Mercury pilots who followed flew on Atlas missiles. During the Gemini program NASA switched to the Air Force Titan.

To get to the moon, America required more than Army artillery or Air Force ICBMs. In 10 years the Earth-to-orbit weight lifting capability grew by 10 thousand times. It was an age when a single main engine (and there were five) delivered 1.5 million pounds of thrust. In its twilight years Saturn lifted a Skylab module weighing 100 metric tons into orbit not 15 years after our nation have trouble lifting a satellite the size of a grapefruit.

Landing on the moon would be made in a spiderlike spacecraft so flimsy it could not bear its own weight on Earth. The sides of the Lunar Module were paper-thin sheets of gold colored foil. The seats were removed for weight due to a strict diet. It required no aerodynamic considerations at all. It was the world's first true spacecraft.

For all the complexity the Apollo launch vehicles were reliable. The 10 Saturn I, the 9 Saturn IB and the 13 Saturn V rockets all flew successfully. Confidence was so high that after only two unmanned Saturn V missions NASA chose to send Apollo 8 around the moon.


In a scant 70 years America had traveled from Kitty Hawk to the moon. Benjamin Foulois had learned to fly from the Wright Brothers only to pin medals on Mercury astronauts. Edwin Aldrin, Sr., knew the Wrights, Goddard and Lindbergh, and watched his son walk on the moon.




Saturn was three times taller, required six times more fuel and produced ten times more thrust than the Jupiter-C launched just four years before. The first stage and two dummy upper stages flew to a height of 136.5 km and impacted 345.7 km downrange meeting all objectives.



Project High Water was designed to study the effects of radio transmissions with changes in local weather conditions. The rocket would lift 109,000 liters of water and detonate two minutes after launch creating a large artificial cloud.




Carl Swanson, perhaps the most prolific space event cover artist, was the creative element of Space Craft cachets which combined high quality multi-color printing and accurate mission data.



This flocked Velvetone cachet celebrates the test to see whether the rocket could reroute fuel and burn longer to compensate for a premature engine shutdown. This came in handy for SA-6 and Ap-13.



The objective was to prove the Little Joe II rockets capability as an Apollo CSM test vehicle and to determine base pressures and heating on the rocket. Except for the non-functional destruct system it was a success.




The launch escape system (LES) needs to be capable of pulling the spacecraft from an exploding rocket while it sat on the pad. It then had to gain sufficient altitude to allow parachutes to open. The flight went beautifully. The only snag was soot on the spacecraft exterior.

SA-5

Cape Canaveral Machine Cancel

29 Jan 1964




The rocket sent back 1,183 separate measurements while being tracked by six telescopes. For the first 1000 meters the rocket was filmed by 13 cameras that looked for pitch, yaw, and roll movements. Eight cameras that filmed the stage separation were recovered in the Atlantic.



Unlike the Pad Abort Test which ignited at ground level, this was flown to show the capability to propel the command module while in a transonic region of flight. Developed to accomplish quick and inexpensive testing of the launch escape system, LJ II was propelled by seven solid-propellant rocket motors – one 42-second Algol sustainer motor, and six 1.5 second Recruit motors.




First to fly an Apollo boilerplate capsule. The first stage burned 2.7 seconds longer to compensate for engine number 8 which shut off early. Postflight cause was quickly located with no further delay.




First Saturn flight with a programmable computer. It sent telemetry for five orbits and was tracked for all 59 revolutions until reentry over the Indian Ocean. The eight film camera pods were not immediately recovered although two washed ashore two months later, covered in barnacles but undamaged.



Testing abort capability of the launch escape vehicle in the maximum dynamic pressure region approximating the altitude limit at which the Saturn emergency detection system would signal an abort was evaluated. Conditions were more than adequate in verifying the abort capability.




The eighth unmanned Saturn carried both a boilerplate capsule and a meteoroid technology satellite. All objectives were met and Pegasus A remained in orbit for 1188 days.



Roller cancels are generally reserved for packages that may require killer bars to cover a large amount of postage. Here a rarely seen Las Cruces roller cancel marks a qualification flight for the Apollo spacecraft. These events were not followed anywhere as closely as the far more glamorous Gemini missions then being flown.




Within 2.5 seconds after lift off a launch malfunction caused the vehicle to go nuts. Excessive roll rate broke up the vehicle before second stage ignition. This became a low altitude abort.




The second operational Saturn I. It too carried a boilerplate as well as Pegasus B. This was also the first night launch of the Saturn rocket.



A highly successful second Pad Abort test. The only abnormalities were oily residue on the rendezvous and crew windows and a kinked steel cable parachute riser.



The earliest mission-related KSC Official cachet and a difficult one to find. It commemorates the conclusion of a successful 10 flight Saturn I series.



The last operational Saturn I took to the skies with the last meteoroid technology satellite. The Apollo boilerplate capsule would reenter the Earth's atmosphere 22 Nov 1975.

Project Apollo



First flight of a Block I production-type spacecraft, designed to demonstrate that the launch escape vehicle would orient and stabilize itself after being subjected to a high rate of tumbling during the powered phase and would maintain its structural integrity. The fifth and final Little Joe II flown. The propulsion system consisted of four Algol and five Recruit rocket motors. Passed with high marks.

Apollo-related	Bay St. Louis Machine Cancel	23 Apr 1966	
SPACE FLIG MISS. TES APOLLO - SATU STATIC FIRING (A STOP FO	THE MOON)	TALERATORY BIRD THEAT	
	MR? OSMOND A BLA	IZE SR	
	BAY ST. LOUIS, M	BAY ST. LOUIS, MISS. 39520	


A rarely seen envelope marking the static fire testing of the second stage.




First real Command Service Module (Block I) to ride atop the first Saturn 1B, an uprated version of the Saturn I. With a more powerful first stage and a second stage (S-IVB) that could restart in space, the flight was a leap forward towards a Moon capable launch vehicle.



A less common Hand Cancel is seen here on a cover that a member of the crew has addressed to himself.



The main purpose of the flight was to investigate the effects of weightlessness on the fuel in the S-IVB. To accomplish this the second stage was equipped with 83 sensors and two video cameras to record what the fuel did in the tank.



A hard to find Hand Cancel mailed to a California collector.



A spark somewhere in 30 miles of wiring killed the Apollo 1 crew during a "plugs out" ground test. The frayed wire ignited glycol vapor fumes from a leak under Gus Grissom's couch. This led to a fire no one could put out.



Postmarks on the day are scarce since the tragedy unfolded after most post offices had closed.




The Saturn V was the largest launch vehicle ever constructed and fired from Launch Complex 39, constructed specifically for it at KSC. 4,098 measuring instruments on board the rocket and spacecraft supported the new "all up" doctrine. Everything had to work, and it did.



It was a successful collection of "firsts": The flight of the first and second stages of the Saturn V; The first Block II heatshield test; First flight from Pad 39; and the first flight after the devastating Apollo 1 fire. General Phillips was upbeat, "Apollo was on the way to the Moon".




A legless Lunar Module is put into orbit. After firing the descent engine three times and the ascent engine twice (therefore meeting all test objectives) LM-1 reentered the atmosphere where its fiery remains plunged into the Pacific several hundred kilometers southwest of Guam.



The goal of the final unmanned Saturn V was to evaluate a direct abort lunar reentry scenario to test the Command Service Module under the most extreme conditions. Here a Contractor cover that shows launch support facilities is illustrated.



Launched on the same day Civil Rights leader Martin Luther King, Jr. was gunned down in Memphis, Apollo 6 represented a series of "ends". It was the last Block I CSM to fly and the last unmanned Saturn V to take to the skies. Despite a rough ride to orbit the launch vehicle was ready for Apollo astronauts.



Although the spacecraft had sufficient altitude it ran out of gas before reaching its planned reentry velocity of 11,270 meters per second missing the intended impact point by 80 km.




Beginning in 1965 KSC Official cachets are found for manned spaceflight and other selected events. These rubber stamp designs were judged too detailed to print. An add-on label was used instead.




Ap-7





In an attempt to improve image quality, the Ap-7 and Ap-8 KSC Officials were printed as labels instead of rubber stamps. Crew signed with an AUTOPEN of Walter Cunningham in blue.



Repurposed in 1964 as a tracking ship Vanguard was used extensively during Apollo and Skylab to maintain telemetry link with spacecraft when out of contact with land-based facilities. With an operating complement of only 66 there was no postal facility onboard.

Ap-7

Jacksonville, FL, Machine Cancel

22 Oct 1968

Project Apollo


21 October 1968 eanette Dear S 3 OCT 22 1968 J Force RECOL TF-140

Ap-7

USS Essex Hand Cancel

22 Oct 1968


A member of the crew designed a limited number (18) of embossed Prime Recovery Ship covers for friends and family. Landing southeast of Bermuda, the spacecraft splashed down less than 2 km from its intended spot.



With the Lunar Module nowhere near ready to test, but a Saturn V prepared and fueled, NASA makes the audacious decision to shoot for the Moon.



The Ap-8 crew received a visit from Charles Lindbergh the night before the launch. They talked about how, for his 1927 flight, he had used a piece of string to measure the distance from New York City to Paris on a globe to calculate the fuel needed for the flight. The next day Lindbergh and his wife watched the lift off from nearby dunes.



On Christmas Eve, as the crew made the ninth of 10 orbits around the Moon, they took turns reading the story of Creation from the Book of Genesis.



A mission planner wrote, "The C Prime CM came down right over the carrier and drifted to land away. The consequence of hitting the carrier is truly catastrophic. I seriously recommend relocating the recovery force." Apollo 8 returned 2 km from the target.

H

Row seat Karth has been serving as a hispital corpsiant on the USS Worktown since Aegast of 1997 Apolic Chi and was aboard the recovery ship during the pickup. In talking with Mrs. Karth S was a little depressed over the fact that he would be at over Christmas, but exclu-tive same time to the a to the sittle.

Mrs. Konb (Richard would ba to do with aminations of reports indici doctors were

STERE REAL

dup Richa

Saturday, Dec. 28, 1968-9


FR

Ap-8

USS Yorktown Hand Cancel


27 Dec 1968

Richard Korth, a 21-year-old seaman, worked as a hospital corpsman on the USS Yorktown over Christmas in 1968. He had the postal clerk cancel 50 envelopes. Use of the Hand Cancel on this flight is very scarce.






Postally used VIP postcard distributed at the launch site. Visitors could have up to five cards, buy stamps, and have them mailed at the site.




By the time McDivitt's crew was finally ready for flight, they had spent 7 hours in training for each of the 241 hours they would spend in space. At a news conference, McDivitt quipped that he hoped all this training did not imply that the crewmen were slow learners.



The biggest concern before Apollo 9 was the docking maneuver. On several occasions capture latches failed to engage. In other tests latches partially caught raising the specter of "jack-knifing" resulting in sharp edges damaging the Lunar Module. After six hours of LM testing, "I have capture."



After 10 days, 1 hour, and 1 minute, Apollo 9 splashed safely down in the Atlantic, northeast of Puerto Rico. Within an hour the crew was aboard the carrier.




Ap-10


Patrick Air Force Base Hand Cancel 18 May 1969 Image: Constraint of the second seco




The lunar landing dress rehearsal was needed to check LM guidance and navigation in the Moon's uneven gravitational field. There were also tracking, communications and site selection reconnaissance needed. The all-veteran crew would be busy.



In 1969 Fleet Operations Control Center, Pacific (FOCCPAC) was based at Kunia. With the extreme reentry speeds associated with lunar return, spacecraft recoveries which were usually accomplished in the Atlantic during the Mercury program, were now conducted in the Pacific.




Virtually all Ap-10 PRS postmarks are like this machine cancel.




Beck CREW cover with VIP address label on Secondary Recovery Ship.






A scarce Captain' s cover. On 26 May 1969, Apollo 10 streaked through the early morning darkness like a shooting star, splashing down 690 km from Samoa and 6 km from the carrier.




An even scarcer Captain's cover due to a rare Hand Cancel.




This envelope NASA Exchange mission emblem cover was probably sent from a family member (initials RBM) who worked in the Vehicle Assembly Building (VAB).




Europeans consider 21 Jul 1969 the moon landing date (GMT) but the controlling time zone was in Houston. This cover has a Machine Cancel (lost in t he black of the stamp) and a Hand Cancel. Both were backdated since the moon landing was on a Sunday.



The vehicle dipped down into the atmospheric layer, zipped up in a roller coaster curve out of the layer, and then came screaming back in. The drogue parachutes opened, and the ship steadied. Below they heard recovery forces trying to talk following the communications blackout.



Columbia landed close to its target and flipped over on its nose in the water, but a flick of a switch inflated the air bags and it soon turned upright.




The add-on cachet here is made from the fireproof beta cloth that has covered astronaut spacesuits since the Apollo 1 fire.

Ap-11	USS Hornet Hand Cancel	24 Jul 1969
	Mr. 3 Mars. V. L. May 3213 Dears AD. New Orleans, La 7012:	A B B C ARE
APOLLO 11	615.1 (4.5.5	S HORNET CVS-12 MARCITE RD-3 6835635 HORNET CUS-12 OFE. DV. ST SAN FRANCISCO CAST. 96601

6000 Captain's covers were created. A few Navy brass and the astronauts received 25 each while members of the crew were given two each. This one entered the mail stream from a crew member.



Al Bishop created "Insurance" covers (this one for an all-Navy crew) that astronauts could leave with family in the event that they failed to return. Later these were sold or given as gifts.




Paul Savko, an employee of Bendix, suggested the contractor publicize the company's participation in the space program. A different cachet was made for each Apollo mission.




Although not rare, Hand Cancels for Apollo 12 are less common and are found with several variants. This Type I Variant 2 (19691124HT1V2CVS-12) has a widely spaced "AM" below the year.

Ap-12 USS Hornet Machine Cancel 24 Nov 1969

A Captain's cover postally used from a member of the crew.







KSC "Officials" are found in red or blue. Occasionally, Ap –12 and Ap-13 appear more black than blue. The Helios unmanned mission to the Sun was printed in black. Here an uncommon hand stamp postmarks an envelope sent to a collector in West Germany.



Two days before launch, Jack Swigert joined the crew replacing Ken Mattingly who had been exposed to German Measles. Fortunately, the mission emblem (with the exception of Ap-11) was the only Apollo patch not to feature the names of the pilots.



When Jack Swigert replaced Tom Mattingly two days before the flight there was insufficient time to reprint the VIP cards to commemorate the flight. A rubber stamp was used.



Unused VIP card on green postcard. Ray Cartier suspects the colored stock might have been used to demarcate stacks of a set number of cards.



Joeseph Frasketi, an astrophilatelist and space cover servicer, was manning the Telemetry Tracking Site at the Eastern Test Range (ETR) Grand Bahama facility on the day following the explosion. On this date the crew performed the critical loop around the Moon to return home.



The possibility of heat shield damage from the explosion heightened tensions during the blackout period, which took 33 seconds longer than normal. Odyssey regained radio contact and splashed down safely southeast of American Samoa and 6.5 km from the recovery ship.

Ap-13

USS Iwo Jima Type II Variant 2 Hand Cancel

17 Apr 1970



After regaining flight status, Mercury astronaut Alan Shepard (with 15 minutes of flight time under his belt) jumped to the head of the line and took two rookies to the Moon.



The LM radar altimeter failed to lock onto the moon's surface. After the landing radar breaker was cycled, the unit successfully acquired a signal. Shepard then manually landed the LM. Mitchell believes Shepard would have continued with the landing attempt anyway but a post-flight review of the descent data showed the inertial system alone would have been inadequate, and the astronauts probably would have been forced to abort the landing as they approached the surface.

AP-14

Raoul Island Hand Cancel

10 Feb 1971

This envelope nicely explains the concept of the nearest post office and current date in order to be astrophilatelically correct. If the US Navy didn't have a post office on board the Prime Recovery Ship (PRS) then the closest would have been Raoul in New Zealand. The postmark would also reflect that, across the International Date Line, it was already February 10th.

The state of the second second

0.40

Aonstra Opr

A Ad CLU A Stand A Sta


DATE LIN

78-10-12-5-14-2-2-14 FEB. 10 1971

> South of the south The impact point was about 0.6 n mi from the target point and 3.8 n mi from the recovery ship USS New Orleans. Estimated distance traveled for the mis-sion was 1,000,279 nautical miles.




J missions were far more science-intensive. Most significant was the installation of an instrument module in one of the service module bays for scientific investigations from lunar orbit and a scientific subsatellite to be deployed into lunar orbit. LM modifications permitted a greater payload, a longer stay on the lunar surface, and provision of a lunar rover vehicle (LRV).



Inner and Outer Space multicolor cachet postmarked at the headquarters of Task Force 130.



Col Worden emphatically asserts that only envelopes with the Antarctic Treaty stamp and the Manned Spacecraft Stamp Club cachet are true "Insurance" covers.




Widely recognized as a Bishop Insurance cover from the all Air Force crew. Recently Col. Worden claimed that these were signed upon their return and are NOT Insurance covers.




During checkout of the LRV, it was found that the front steering mechanism was inoperative and there were no readouts on the battery #2 ampere/volt meter. Scott intended to contact AAA but left his membership card in his other spacesuit. This unflown example of the Irwin "lucky" clover came from Ray Burton, the collector who provided them to the astronaut.



A unflown onion skin light weight envelope. This type was used for the Apollo 15 moon covers including the infamous Seiger covers. Scott had agreed to carry 100 envelopes in exchange of \$7,000 college fund accounts for the crew's children. A scandal erupted and none ever flew again.



An innocuous Prime Recovery Ship envelope except for the recently released Decade of Achievement stamps flown out to the USS Okinawa especially for the astronauts and found on all their moon covers.



A collapsed parachute contributed to the fastest entry time in the Apollo program, just 778.3 seconds from entry to splashdown. Impact was 1.0 nautical mile from the target point and 5 nautical mile from the recovery ship USS Okinawa.



The second of the "J missions" meant three days on the moon and more science.

Ap-16Kennedy Space Center Machine Cancel (Closed globe)16 Apr 1972



A malfunction in a backup yaw gimbal servo loop of Casper caused concerns about firing the engine to adjust the CSM's lunar orbit, and nearly caused the Moon landing to be aborted. Young and Duke, who were undocked and flying LM Orion when the problem occurred, were permitted to land on the Moon.

Project Apollo




The Space Shuttle was approved while John Young was walking on the Moon. He would go on to command STS-1 and STS-9 before retiring, having flown in space six times.




International Airmail rate applied to an oversized Prime Recovery Ship envelope with a Commander in Chief Pacific corner card addressed in a VIP in the Australian Navy.




Postally used Captain's cover with matching stationary.



In a spectacular fireworks display the last manned flight to the Moon was launched at night.



A crew-signed KSC Official launch cover. Joe Engle was slated to walk on the Moon with Cernan but the scientific community pressed to have Harrison Schmitt, a geologist, go instead.





The launch was just after midnight on 7 Dec from KSC. After clearing the tower control transferred to the Manned Spaceflight Center in Texas where the local time was an hour earlier. For about a half hour it was still 6 Dec.

Ap-17	USS Ticonderoga Machine Cancel	22 Dec 1972
MIT LUFTPO PAR AVION BY AIR MAIL	ST	USS TICONDEROGA
	ICOPTER	E A DECADE OF ACHIEVEMENT
FROM MSSZ TO CVS MODEL SH	im derga - 14	
LIC. 00 PILOT DRT	1 Delle	Günter Rott
REMARKS Herma	my Pilot	Fredericiastr. 32 1 BERLIN 19 GERMANY

A number of envelopes (here overpaying the international airmail rate) were flown as a courtesy for collectors. The scarce ship Machine Cancel was used a few days later.

ASTP

Kennedy Space Center Machine Cancel (Closed globe)

15 Jul 1975




The Space Race was over. The Soviets could claim many impressive "firsts," but Americans were proud to have been first to walk on the Moon. Now leftover hardware (Ap-18) would be used to meet our former competitors.

TP	Patrick Air Force Base Hand Cancel	15 Jul 1975
Flown v	SOYUZ LAUNCH SUPPORT ia: Nelicopter No./Lic: HH S3-C/Jelly JUL 15 1975 Det 15, State and the second Cape Canaveral SIGNATURES	FRANCIS EARMAN MERICAN ULMEANER ULMEANE
Navigato Pararesc Remarks	Capt Swager APOLLO PROJECT : JLt Merenda TEST PROJECT or: Mane ue/Frogman: Msgt Lane	Fritz Grube 285 Bremerhaven 3 Langener Landstr. 55 WGermany

Launch was always the most worrisome part of a mission. An off-the-pad abort would require immediate helicopter support. Here supplied by the Rescue Wing at Patrick Air Force Base.



In addition to ground stations and stations at sea, airborne range instrumentation aircraft also gathered and disseminated critical flight-related data.



With philatelic requests excessive for an operational ship at sea some of the later Apollo mission requests were cancelled in Hawaii. This envelope was onboard and postmarked the day after the mission since the postal unit was closed the previous day.

ASTP

USS New Orleans Hand Cancel

25 Jul 1975